

# **uFCoder PC/SC Windows Driver User guide**

# Table of contents

<b>Introduction</b>	<b>3</b>
<b>Installing</b>	<b>3</b>
<b>Uninstalling</b>	<b>5</b>
<b>Features</b>	<b>5</b>
ATR Returned	5
Registered Application Provider Identifier (RID)	7
PIX	7
SS - Byte For Standard	7
NN – Bytes For Card Name	8
Contactless Storage Card Functionality Support	8
General Aspects	8
Common Error Codes for Storage Cards	8
Get Data Command	9
Load Keys Command	10
General Authenticate Command	12
Read Binary Command	13
Update Binary Command	14
ISO/IEC 14443-4 Cards	15
<b>Appendix A: DevMsi License</b>	<b>16</b>
The Code Project Open License (CPOL) 1.02	16
<b>Appendix B: Change Log</b>	<b>20</b>

## Introduction

PC/SC (abbreviation for "Personal Computer / Smart Card") is a specification for smart card integration into computer operating systems. Core members of the PC/SC Workgroup are Microsoft, Infineon, Gemalto, Toshiba. Microsoft has implemented PC/SC in Microsoft Windows using Wincard library which exports Smart Card API functions.


Digital Logic uFR is a NFC card reader device series which integrates into computing environments using proprietary API implemented using uFCoder software library.


To maximize compatibility with existing Windows applications, we have created a uFCoder PC/SC driver. This driver supports Windows 8.1 and newer operating systems and enables communication with ISO/IEC 14443-4 contactless smart cards and ISO/IEC 14443-3 storage cards which includes NXP Mifare Classic and NFC T2T cards such as NXP Mifare Ultralight (basic model, Ultralight C and EV1), NXP NTAG 203, NXP NTAG 21x etc.

## Installing


You can download uFCoder PC/SC driver from our Git repository: <https://www.d-logic.net/code/>

uFCoder PC/SC Windows driver **installer** use DevMsi project fork from the <https://github.com/nickrussler/DevMsi/tree/master>. DevMsi project is originated from <https://www.codeproject.com/Articles/570751/DevMSI-An-Example-Cplusplus-MSI-Wix-Deferred-Custo> and its author is Joe Marley. We have published DevMsi source code downloaded from <https://github.com/nickrussler/DevMsi/tree/master> in zip archive on our Git repository and DevMsi License (The Code Project Open License (CPOL) 1.02) is shown in Appendix A of this document.





# Uninstalling



# Features

## *ATR Returned*

Contactless smart cards (ISO/IEC 14443-4) and Contactless storage cards don't report classic Answer To Reset (ATR) as Contact Smart Cards do. The ATR of a Contactless Storage Card is composed as described in the following table.

		Header			
1	8n	T0		Higher nibble 8 means: no TA1, TB1, TC1 only TD1 is following. Lower nibble n is the number of historical bytes (HistByte 0 to HistByte n-1)	
2	80	TD1		Higher nibble 8 means: no TA2, TB2, TC2 only TD2 is following. Lower nibble 0 means T = 0	
3	1	TD2		Higher nibble 0 means no TA3, TB3, TC3, TD3 following. Lower nibble 1 means T = 1	
4 to 2+n	XX XX ... ... XX	Hist bytes	T1 ... ... Tk	80	Category indicator byte, 80 means A status indicator may be present in an optional COMPACT-TLV data object.
				4F	Application identifier Presence indicator
				YY	length
			R[0] R[1] ... ... R[4]	5 bytes	Registered application provider identifier (RID)
				PIX (maximum 7 bytes) PP PP ... ... PP	SS Byte for Standard
					NN NN Bytes for Card Name
					RU RU RU RU RFU: Shall be set to zero. Assigned by PC/SC for future extensions.
3+n	UU	TCK		Exclusive-oring of all the bytes T0 to Tk	

In order to allow the application to identify a storage card type properly, its Standard and Card Name describing bytes must be interpreted according to the following rules.

### Registered Application Provider Identifier (RID)

The PC/SC Workgroup has its own 5-byte RID:

R[0]	R[1]	R[2]	R[3]	R[4]
0xA0	0x00	0x00	0x03	0x06

### PIX

### SS - Byte For Standard

This describes the standard of a Storage Card. In a table below, only the standards which are supported by the uFR readers series are indicated.

SS - Byte For Standard								Description
b7	b6	b5	b4	b3	b2	b1	b0	
0	0	0	0	0	0	0	0	No information given
0	0	0	0	0	0	0	1	ISO 14443 A, part 1
0	0	0	0	0	0	1	0	ISO 14443 A, part 2
0	0	0	0	0	0	1	1	ISO 14443 A, part 3
0	0	0	0	0	1	0	0	RFU
0	0	0	0	0	1	0	1	ISO 14443 B, part 1
0	0	0	0	0	1	1	0	ISO 14443 B, part 2
0	0	0	0	0	1	1	1	ISO 14443 B, part 3

## ***NN – Bytes For Card Name***

The two bytes for Card Name represent a number which will be assigned by the PC/SC Workgroup. In a table below, only the cards supported by the uFR readers series are indicated:

<b>Card Name</b>	<b>Two Byte - Identifier</b>
No information given	'00 00'
Mifare Standard 1K	'00 01'
Mifare Standard 4K	'00 02'
Mifare Ultralight / NTAG21x	'00 03'
Mifare Mini	'00 26'
MIFARE Ultralight C	'00 3A'
MIFARE Ultralight EV1	'00 3D'

## ***Contactless Storage Card Functionality Support***

### ***General Aspects***

This section defines commands for Storage Cards (Exception : The Get Data Command, which returns UID or historical bytes from the ATS of a ISO 14443 A, may be used for all kinds of contactless cards).

### ***Common Error Codes for Storage Cards***

SW1	SW2	Meaning
0x67	0x00	Wrong length
0x68	0x00	Class byte is not correct
0x6A	0x81	Function not supported
0x6B	0x00	Wrong parameter P1-P2

The error codes defined in the Table above are valid for all commands defined within this section. Moreover command specific errors have been introduced as required in individual subsections.



## Get Data Command

This Get Data command will retrieve information about the inserted command depending on the inserted card. It can be used for kind of contactless cards.

*GET DATA Command APDU:*

Class	INS	P1	P2	Lc	Data In	Le
0xFF	0xCA	0x00 0x01	0x00	-	-	XX

P1	P2	
0x00	0x00	UID is returned
0x01	0x00	all historical bytes from the ATS of a ISO 14443 A card without CRC are returned

*Get Data Command Output:*

Data Out
Data + SW1 SW2

Le = 0x00, this means: Return full length of the data (e.g. for ISO14443A single 4 bytes, double 7 bytes, triple 10 bytes, for ISO14443B 4 bytes PUPI, for 15693 8 bytes UID).

UID Format:

The format of the UID has to be the same for all IFD subsystem implementations:

- The UID has to be exposed as a string of the expected length. If the expected length is greater than the actual length the rest of the string has to be filled with zero-value padding bytes.
- No cast must be done over the UID or parts of it. For example, casting four bytes of the UID to a 32-bit Integer is illegal.
- The order of the bytes within the string must match the order of bytes received from the card during initial contact (e.g. Anti-collision). Consequently, the first byte received will be at index zero.
- The bit order of the string bytes must be such that the LSB (MSB) matches with the LSB (MSB) of the card-defined UID.

The following table introduces some examples of SW1SW2 and their meaning.

	SW1	SW2	Meaning
<b>Warning</b>	0x62	0x82	End of data reached before Le bytes (Le is greater than data length).
<b>Error</b>	0x6A	0x81	Function not supported
	0x6C	XX	Wrong length (wrong number Le; 'XX' encodes the exact number)

### *Load Keys Command*

The 'Load keys' command will just load (write) the keys in the uFR reader's designated memory. The key can be only of the card key type. uFR reader does not protect the transmission of secure data e.g. card key from the application to the reader, for now. So the Reader Key type isn't supported. This command can be used to set keys for NXP Mifare Classic contactless cards.

Card Key: This is the card specific key (e.g. for Mifare it is Mifare key). This key can be volatile or non-volatile.

The coding of the command provides the following mechanisms:

- Load keys in either container: Reader key container to be used for transmission protection and card key container for card authentication.
- Transmission of the loaded key in plain using a key out of the reader key container: The key to be used is indicated in P1 by its number. P2 is indicating the address within the container, where the key shall be stored.
- The containers can be located in volatile or non-volatile memory.

*Load Keys Command APDU:*

Class	INS	P1	P2	Lc	Data In	Le
0xFF	0x82	Key Structure	Key number	Key Length	Key	-

*Load Keys Command Output:*

Data Out
SW1 SW2

*P1 Structure:*

b7	b6	b5	b4	b3	b2	b1	b0	Description
X								0: Card Key, 1: Not supported
	X							0: Plain Transmission, 1: Not supported
		X						0: Keys are loaded into the uFR volatile memory 1: Keys are loaded into the uFR non-volatile memory.
			X					RFU
					XXXX			Not supported

*P2 (Key Number)::*

*Load Keys Error Codes:*

	SW1	SW2	Meaning
<b>Warning</b>	0x63	0x00	No information is given
<b>Error</b>	0x69	0x82	Card key not supported
		0x83	Reader key not supported
		0x84	Plain transmission not supported
		0x85	Secured transmission not supported
		0x86	Volatile memory is not available
		0x87	Non-volatile memory is not available
		0x88	Key number not valid
		0x89	Key length is not correct

### General Authenticate Command

The application provides the number of the key used for the authentication. The specific key must be already in the uFR reader.

General Authenticate Command APDU:

Class	INS	P1	P2	Lc	Data In	Le
0xFF	0x86	0x00	0x00	5	See table	-

General Authenticate data bytes:

Byte 1	Byte 2	Byte 3	Byte 4	Byte 5
Version 0x01	Address MSB	Address LSB	Key type	Key Nr

General Authenticate Command Output:

Data Out
SW1 SW2

General Authenticate Error Codes:

	SW1	SW2	Meaning
<b>Warning</b>	0x63	0x00	No information is given
<b>Error</b>	0x65	0x81	P1, P2 have to be 0x00
	0x69	0x82	Security status not satisfied
		0x83	Authentication cannot be done
		0x84	Reference key not useable
		0x86	Key type not known
		0x88	Key number not valid

### Read Binary Command

If the Le field contains only bytes set to 0x00 then all the bytes until the end of the file shall be read within the limit of 256 for a short Le field.

Read Binary Command APDU:

Class	INS	P1	P2	Lc	Data in	Le
0xFF	0xB0	Address MSB	Address LSB	-	-	XX

Read Binary Command Output:

Data Out
Data + SW1 SW2

Read Binary Error Codes:

	SW1	SW2	Meaning
<b>Warning</b>	0x62	0x81	Part of returned data may be corrupted.
		0x82	End of file reached before reading expected number of bytes.
<b>Error</b>	0x69	0x81	Command incompatible.
		0x82	Security status not satisfied.
		0x86	Command not allowed.
	0x6A	0x81	Function not supported.
		0x82	File not found / Addressed block or byte does not exist.
0x6C	XX	Wrong length (wrong number Le; 'XX' is the exact number).	

## Update Binary Command

Update Binary Command APDU:

Class	INS	P1	P2	Lc	Data in	Le
0xFF	0xD6	Address MSB	Address LSB	XX	Data	-

Update Binary Command Output:

Data Out
SW1 SW2

Update Binary Error Codes:

	SW1	SW2	Meaning
<b>Warning</b>	0x62	0x81	A part of the returned data may be corrupted.
		0x82	End of file reached before writing Lc bytes.
<b>Error</b>	0x65	0x81	Memory failure (unsuccessful writing).
	0x69	0x81	Command incompatible.
		0x82	Security status not satisfied.
		0x86	Command not allowed.
	0x6A	0x81	Function not supported.
		0x82	File not found / Addressed block or byte does not exist.

## ISO/IEC 14443-4 Cards

The Contactless Smart Card exposes its ATS or information bytes not directly, but via a specific ATR mapping. For Contactless Smart Card, the card reader subsystem must construct an ATR from the fixed elements that identify the cards. For those cards that provide such information, optionally with Historical Bytes (or Application Information respectively), the mapping in the following table applies.

Byte Nr	Value	Designation	Description						
0	3B	Initial Header							
1	8n	T0	Higher nibble 8 means no TA1, TB1, TC1 only TD1 is following. Lower nibble n is the number of historical bytes (HistByte 0 to HistByte n-1)						
2	80	TD1	Higher nibble 8 means no TA2, TB2, TC2 only TD2 is following. Lower nibble 0 means T = 0						
3	1	TD2	Higher nibble 0 means no TA3, TB3, TC3, TD3 following Lower nibble 1 means T = 1						
4 to 3+n	XX XX XX	T1 ... ... Tk	<p>Historical bytes: ISO14443A: The historical bytes from ATS response. Refer to the ISO14443-4 specification. ISO14443B:</p> <table border="1"> <thead> <tr> <th>Byte 1 - 4</th> <th>Byte 5 - 7</th> <th>Byte 8</th> </tr> </thead> <tbody> <tr> <td>Application Data from ATQB</td> <td>Protocol Info Byte from ATQB</td> <td>Higher nibble = MBLI from ATTRIB command Lower nibble (RFU) = 0</td> </tr> </tbody> </table>	Byte 1 - 4	Byte 5 - 7	Byte 8	Application Data from ATQB	Protocol Info Byte from ATQB	Higher nibble = MBLI from ATTRIB command Lower nibble (RFU) = 0
Byte 1 - 4	Byte 5 - 7	Byte 8							
Application Data from ATQB	Protocol Info Byte from ATQB	Higher nibble = MBLI from ATTRIB command Lower nibble (RFU) = 0							
4+n	XX	TCK	XOR of the bytes T0 to Tk						

# Appendix A: DevMsi License

## *The Code Project Open License (CPOL) 1.02*

### Preamble

This License governs Your use of the Work. This License is intended to allow developers to use the Source Code and Executable Files provided as part of the Work in any application in any form.

The main points subject to the terms of the License are:

- \* Source Code and Executable Files can be used in commercial applications;
- \* Source Code and Executable Files can be redistributed; and
- \* Source Code can be modified to create derivative works.
- \* No claim of suitability, guarantee, or any warranty whatsoever is provided. The software is provided "as-is".
- \* The Article accompanying the Work may not be distributed or republished without the Author's consent

This License is entered between You, the individual or other entity reading or otherwise making use of the Work licensed pursuant to this License and the individual or other entity which offers the Work under the terms of this License ("Author").

### License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CODE PROJECT OPEN LICENSE ("LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HEREIN, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE AUTHOR GRANTS YOU THE RIGHTS CONTAINED HEREIN IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS. IF YOU DO NOT AGREE TO ACCEPT AND BE BOUND BY THE TERMS OF THIS LICENSE, YOU CANNOT MAKE ANY USE OF THE WORK.

### 1. Definitions.

- a. "Articles" means, collectively, all articles written by Author which describes how the Source Code and Executable Files for the Work may be used by a user.
- b. "Author" means the individual or entity that offers the Work under the terms of this License.
- c. "Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works.
- d. "Executable Files" refer to the executables, binary files, configuration and any required data files included in the Work.



- e. "Publisher" means the provider of the website, magazine, CD-ROM, DVD or other medium from or by which the Work is obtained by You.
- f. "Source Code" refers to the collection of source code and configuration files used to create the Executable Files.
- g. "Standard Version" refers to such a Work if it has not been modified, or has been modified in accordance with the consent of the Author, such consent being in the full discretion of the Author.
- h. "Work" refers to the collection of files distributed by the Publisher, including the Source Code, Executable Files, binaries, data files, documentation, whitepapers and the Articles.
- i. "You" is you, an individual or entity wishing to use the Work and exercise your rights under this License.

2. Fair Use/Fair Use Rights. Nothing in this License is intended to reduce, limit, or restrict any rights arising from fair use, fair dealing, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, the Author hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

- a. You may use the standard version of the Source Code or Executable Files in Your own applications.
- b. You may apply bug fixes, portability fixes and other modifications obtained from the Public Domain or from the Author. A Work modified in such a way shall still be considered the standard version and will be subject to this License.
- c. You may otherwise modify Your copy of this Work (excluding the Articles) in any way to create a Derivative Work, provided that You insert a prominent notice in each changed file stating how, when and where You changed that file.
- d. You may distribute the standard version of the Executable Files and Source Code or Derivative Work in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution.
- e. The Articles discussing the Work published in any form by the author may not be distributed or republished without the Author's consent. The author retains copyright to any such Articles. You may use the Executable Files and Source Code pursuant to this License but you may not repost or republish or otherwise distribute or make available the Articles, without the prior written consent of the Author.

Any subroutines or modules supplied by You and linked into the Source Code or Executable Files of this Work shall not be considered part of this Work and will not be subject to the terms of this License.

4. Patent License. Subject to the terms and conditions of this License, each Author hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, import, and otherwise transfer the Work.

5. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

- a. You agree not to remove any of the original copyright, patent, trademark, and attribution notices and associated disclaimers that may appear in the Source Code or Executable Files.
- b. You agree not to advertise or in any way imply that this Work is a product of Your own.
- c. The name of the Author may not be used to endorse or promote products derived from the Work without the prior written consent of the Author.
- d. You agree not to sell, lease, or rent any part of the Work. This does not restrict you from including the Work or any part of the Work inside a larger software distribution that itself is being sold. The Work by itself, though, cannot be sold, leased or rented.
- e. You may distribute the Executable Files and Source Code only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy of the Executable Files or Source Code You distribute and ensure that anyone receiving such Executable Files and Source Code agrees that the terms of this License apply to such Executable Files and/or Source Code. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute the Executable Files or Source Code with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License.
- f. You agree not to use the Work for illegal, immoral or improper purposes, or on pages containing illegal, immoral or improper material. The Work is subject to applicable export laws. You agree to comply with all such laws and regulations that may apply to the Work after Your receipt of the Work.

6. Representations, Warranties and Disclaimer. THIS WORK IS PROVIDED "AS IS", "WHERE IS" AND "AS AVAILABLE", WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES OR CONDITIONS OR GUARANTEES. YOU, THE USER, ASSUME ALL RISK IN ITS USE, INCLUDING COPYRIGHT INFRINGEMENT, PATENT INFRINGEMENT, SUITABILITY, ETC. AUTHOR EXPRESSLY DISCLAIMS ALL EXPRESS, IMPLIED OR STATUTORY WARRANTIES OR CONDITIONS, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS OF MERCHANTABILITY, MERCHANTABLE QUALITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF TITLE OR NON-INFRINGEMENT, OR THAT THE WORK (OR ANY PORTION THEREOF) IS CORRECT, USEFUL, BUG-FREE OR FREE OF VIRUSES. YOU MUST PASS THIS DISCLAIMER ON WHENEVER YOU DISTRIBUTE THE WORK OR DERIVATIVE WORKS.

7. Indemnity. You agree to defend, indemnify and hold harmless the Author and the Publisher from and against any claims, suits, losses, damages, liabilities, costs, and expenses (including reasonable legal or attorneys' fees) resulting from or relating to any use of the Work by You.

8. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL THE AUTHOR OR THE PUBLISHER BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF

THE WORK OR OTHERWISE, EVEN IF THE AUTHOR OR THE PUBLISHER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 9. Termination.

a. This License and the rights granted hereunder will terminate automatically upon any breach by You of any term of this License. Individuals or entities who have received Derivative Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 6, 7, 8, 9, 10 and 11 will survive any termination of this License.

b. If You bring a copyright, trademark, patent or any other infringement claim against any contributor over infringements You claim are made by the Work, your License from such contributor to the Work ends automatically.

c. Subject to the above terms and conditions, this License is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, the Author reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

10. Publisher. The parties hereby confirm that the Publisher shall not, under any circumstances, be responsible for and shall not have any liability in respect of the subject matter of this License. The Publisher makes no warranty whatsoever in connection with the Work and shall not be liable to You or any party on any legal theory for any damages whatsoever, including without limitation any general, special, incidental or consequential damages arising in connection to this license. The Publisher reserves the right to cease making the Work available to You at any time without notice

#### 11. Miscellaneous

a. This License shall be governed by the laws of the location of the head office of the Author or if the Author is an individual, the laws of location of the principal place of residence of the Author.

b. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this License, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

c. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

d. This License constitutes the entire agreement between the parties with respect to the Work licensed herein. There are no understandings, agreements or representations with respect to the Work not specified herein. The Author shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Author and You.

## Appendix B: Change Log

Datum	Verzija	Komentar
2020-04-13	1.3	ATR of a Contactless Storage Card composition.
2020-04-10	1.2	ISO/IEC 14443-4 Cards ATR mapping.
2020-04-09	1.1	Contactless Storage Card Functionality Support
2020-04-06	1.0	Initial revision